

Compresores semiherméticos. "HEP"

R134a

| Serie | Modelo | Temp. Cond. | | Q | Capacidad frigorífica | | | P | Potencia absorbida | | P.V.P Con módulo termistor |
|-------|---------|-------------|-------|-------|-----------------------|-------|-------|-------|--------------------|---------|-------------------------------------|
| | | | | [W] | | | | [kW] | | | |
| | | [°C] | | +5 | 0 | -5 | -10 | -15 | -20 | | |
| HEP41 | H1200EP | 20 | Q | 44780 | 36530 | 29410 | 23330 | 18190 | 13920 | 2.872 € | |
| | | | P | 5,26 | 5,30 | 5,18 | 4,93 | 4,58 | 4,17 | | |
| | | 30 | Q | 40210 | 32660 | 26160 | 20620 | 15960 | 12070 | | |
| | P | | 6,85 | 6,56 | 6,15 | 5,66 | 5,12 | 4,57 | | | |
| | H1300EP | 20 | Q | 35300 | 28510 | 22690 | 17760 | 13620 | 10190 | | 3.250 € |
| | | | P | 8,13 | 7,55 | 6,90 | 6,22 | 5,54 | 4,90 | | |
| 30 | | Q | 49600 | 40640 | 32930 | 26360 | 20820 | 16200 | | | |
| | P | 6,10 | 6,07 | 5,90 | 5,62 | 5,27 | 4,87 | | | | |
| HEP5 | H1400EP | 20 | Q | 44060 | 36010 | 29100 | 23220 | 18240 | 14080 | 4.009 € | |
| | | | P | 7,63 | 7,29 | 6,86 | 6,37 | 5,85 | 5,33 | | |
| | | 30 | Q | 38730 | 31570 | 25430 | 20200 | 15770 | 12020 | | |
| | P | | 9,02 | 8,41 | 7,76 | 7,08 | 6,42 | 5,80 | | | |
| | H1500EP | 20 | Q | 60760 | 49790 | 40320 | 32220 | 25370 | 19640 | | 4.155 € |
| | | | P | 7,55 | 7,62 | 7,44 | 7,05 | 6,52 | 5,90 | | |
| 30 | | Q | 54050 | 44100 | 35530 | 28220 | 22050 | 16890 | | | |
| | P | 9,57 | 9,17 | 8,58 | 7,86 | 7,07 | 6,27 | | | | |
| HEP6 | H1600EP | 20 | Q | 47380 | 38450 | 30790 | 24290 | 18820 | 14250 | 4.438 € | |
| | | | P | 11,24 | 10,42 | 9,50 | 8,52 | 7,54 | 6,62 | | |
| | | 30 | Q | 67340 | 55280 | 44850 | 35930 | 28360 | 22000 | | |
| | P | | 8,79 | 8,66 | 8,31 | 7,80 | 7,19 | 6,53 | | | |
| | H1700EP | 20 | Q | 60210 | 49180 | 39660 | 31530 | 24630 | 18820 | | 4.585 € |
| | | | P | 10,79 | 10,20 | 9,46 | 8,64 | 7,80 | 6,98 | | |
| 30 | | Q | 53140 | 43130 | 34510 | 27160 | 20910 | 15640 | | | |
| | P | 12,55 | 11,56 | 10,50 | 9,43 | 8,41 | 7,49 | | | | |
| HEP6 | H2000EP | 20 | Q | 72140 | 59310 | 48240 | 38770 | 30760 | 24050 | 5.441 € | |
| | | | P | 9,10 | 9,24 | 9,11 | 8,73 | 8,18 | 7,51 | | |
| | | 30 | Q | 64990 | 53180 | 43020 | 34360 | 27040 | 20920 | | |
| | P | | 11,50 | 11,11 | 10,51 | 9,75 | 8,88 | 7,96 | | | |
| | H2400EP | 20 | Q | 57620 | 46870 | 37660 | 29830 | 23240 | 17730 | | 5.583 € |
| | | | P | 13,52 | 12,67 | 11,67 | 10,58 | 9,45 | 8,34 | | |
| 30 | | Q | 81270 | 66590 | 53920 | 43090 | 33920 | 26250 | | | |
| | P | 10,22 | 10,31 | 10,10 | 9,62 | 8,94 | 8,12 | | | | |
| HEP6 | H2000EP | 20 | Q | 73530 | 60020 | 48390 | 38450 | 30040 | 22980 | 5.583 € | |
| | | | P | 13,37 | 12,80 | 12,00 | 11,02 | 9,92 | 8,75 | | |
| | | 30 | Q | 65190 | 52950 | 42440 | 33480 | 25900 | 19530 | | |
| | P | | 15,93 | 14,76 | 13,43 | 12,00 | 10,53 | 9,06 | | | |
| | H2400EP | 20 | Q | 88420 | 72490 | 58730 | 46970 | 37010 | 28680 | | 5.441 € |
| | | | P | 10,27 | 10,51 | 10,38 | 9,95 | 9,28 | 8,45 | | |
| 30 | | Q | 79480 | 64860 | 52280 | 41530 | 32450 | 24850 | | | |
| | P | 13,66 | 13,20 | 12,46 | 11,50 | 10,39 | 9,18 | | | | |
| HEP6 | H2400EP | 20 | Q | 70160 | 56920 | 45570 | 35910 | 27760 | 20950 | 5.583 € | |
| | | | P | 16,46 | 15,36 | 14,07 | 12,63 | 11,12 | 9,59 | | |
| | | 30 | Q | 98960 | 81400 | 66220 | 53240 | 42240 | 33020 | | |
| | P | | 12,18 | 12,13 | 11,82 | 11,32 | 10,68 | 9,93 | | | |
| | H2400EP | 20 | Q | 89590 | 73450 | 59540 | 47650 | 37580 | 29120 | | 5.583 € |
| | | | P | 16,01 | 15,26 | 14,35 | 13,32 | 12,23 | 11,13 | | |
| 30 | | Q | 79700 | 65070 | 52500 | 41780 | 32710 | 25080 | | | |
| | P | 19,27 | 17,88 | 16,40 | 14,89 | 13,39 | 11,97 | | | | |

Bajo pedido, se puede solicitar precio para unidades con voltajes especiales.

Con la garantía

| Serie | Modelo | Temp. Cond. [°C] | | Q | | Capacidad frigorífica | | | P | | Potencia absorbida | | P.V.P Con módulo termistor |
|-------|---------|---------------------|---|---------------------------------|--------|-----------------------|-------|-------|-------|---------|--------------------|--|-------------------------------------|
| | | | | [W] | | | | [kW] | | | | | |
| | | | | Temperatura de evaporación [°C] | | | | | | | | | |
| | | | | +5 | 0 | -5 | -10 | -15 | -20 | | | | |
| HEP6 | H2600EP | 20 | Q | 106500 | 87810 | 71720 | 57930 | 46240 | 36410 | 6.088 € | | | |
| | | | P | 12,70 | 12,87 | 12,70 | 12,24 | 11,56 | 10,72 | | | | |
| | | 30 | Q | 95400 | 78590 | 64070 | 51640 | 41080 | 32160 | | | | |
| | | | P | 16,89 | 16,30 | 15,44 | 14,40 | 13,21 | 11,96 | | | | |
| | | 40 | Q | 84530 | 69490 | 56520 | 45400 | 35930 | 27890 | | | | |
| | | | P | 20,44 | 19,14 | 17,67 | 16,10 | 14,49 | 12,88 | | | | |
| | H3000EP | 20 | Q | 120800 | 99020 | 80330 | 64370 | 50890 | 39620 | | 6.300 € | | |
| | | | P | 14,74 | 14,96 | 14,69 | 14,02 | 13,06 | 11,91 | | | | |
| | | 30 | Q | 108800 | 88920 | 71890 | 57360 | 45080 | 34770 | | | | |
| | | | P | 19,52 | 18,76 | 17,64 | 16,26 | 14,71 | 13,10 | | | | |
| | | 40 | Q | 96500 | 78610 | 63250 | 50160 | 39080 | 29750 | | | | |
| | | | P | 23,35 | 21,74 | 19,90 | 17,93 | 15,92 | 13,99 | | | | |
| HEP7 | H4000EP | 20 | Q | 126200 | 103400 | 83800 | 67080 | 52930 | 41090 | 8.234 € | | | |
| | | | P | 16,86 | 16,65 | 16,01 | 15,05 | 13,84 | 12,48 | | | | |
| | | 30 | Q | 112400 | 91540 | 73700 | 58520 | 45710 | 34990 | | | | |
| | | | P | 21,48 | 20,22 | 18,69 | 16,97 | 15,17 | 13,36 | | | | |
| | | 40 | Q | 98680 | 79850 | 63760 | 50120 | 38650 | 29060 | | | | |
| | | | P | 25,10 | 22,93 | 20,64 | 18,32 | 16,05 | 13,94 | | | | |
| | H4500EP | 20 | Q | 141800 | 116600 | 94870 | 76290 | 60540 | 47320 | | 8.449 € | | |
| | | | P | 18,28 | 18,32 | 17,83 | 16,92 | 15,70 | 14,30 | | | | |
| | | 30 | Q | 127200 | 104200 | 84390 | 67480 | 53150 | 41090 | | | | |
| | | | P | 23,98 | 22,87 | 21,39 | 19,65 | 17,76 | 15,84 | | | | |
| | | 40 | Q | 112500 | 91710 | 73850 | 58610 | 45700 | 34820 | | | | |
| | | | P | 28,50 | 26,40 | 24,09 | 21,68 | 19,27 | 17,00 | | | | |
| | H5000EP | 20 | Q | 154000 | 126600 | 103000 | 82750 | 65590 | 51170 | 8.809 € | | | |
| | | | P | 19,99 | 20,11 | 19,64 | 18,70 | 17,40 | 15,86 | | | | |
| | | 30 | Q | 138200 | 113100 | 91510 | 73050 | 57380 | 44180 | | | | |
| | | | P | 25,76 | 24,64 | 23,09 | 21,22 | 19,17 | 17,03 | | | | |
| | | 40 | Q | 122200 | 99450 | 79900 | 63200 | 49030 | 37050 | | | | |
| | | | P | 30,38 | 28,15 | 25,66 | 23,02 | 20,34 | 17,75 | | | | |
| | H6000EP | 20 | Q | 163800 | 134700 | 109600 | 88030 | 69780 | 54450 | | 9.307 € | | |
| | | | P | 21,74 | 21,55 | 20,85 | 19,74 | 18,31 | 16,67 | | | | |
| | | 30 | Q | 146800 | 120100 | 97160 | 77540 | 60910 | 46900 | | | | |
| | | | P | 27,63 | 26,27 | 24,54 | 22,55 | 20,37 | 18,12 | | | | |
| | | 40 | Q | 129700 | 105500 | 84720 | 67000 | 51960 | 39270 | | | | |
| | | | P | 32,37 | 29,96 | 27,33 | 24,57 | 21,77 | 19,02 | | | | |
| | H7000EP | 20 | Q | 183400 | 150900 | 122800 | 98810 | 78490 | 61430 | 9.952 € | | | |
| | | | P | 24,61 | 24,28 | 23,44 | 22,18 | 20,59 | 18,77 | | | | |
| | | 30 | Q | 164400 | 134700 | 109100 | 87180 | 68650 | 53070 | | | | |
| | | | P | 31,36 | 29,76 | 27,79 | 25,53 | 23,09 | 20,55 | | | | |
| | | 40 | Q | 145200 | 118300 | 95100 | 75370 | 58660 | 44560 | | | | |
| | | | P | 36,80 | 34,04 | 31,04 | 27,90 | 24,71 | 21,56 | | | | |

Bajo pedido, se puede solicitar precio para unidades con voltajes especiales.

Compresores semiherméticos. "H"

R404A / R507

| Serie | Modelo | Temp. Cond. [°C] | Q [W] | | Capacidad frigorífica | | | | | P [kW] | | | | P.V.P Con THERMIK | P.V.P Con módulo termistor | |
|--------|--------|---------------------|---------------------------------|-------|-----------------------|------|------|------|------|-----------|------|------|------|-------------------------|-------------------------------------|---|
| | | | Temperatura de evaporación [°C] | | | | | | | | | | | | | |
| | | | +5 | 0 | -5 | -10 | -15 | -20 | -25 | -30 | -35 | -40 | | | | |
| H11 | H51CS | 35 | Q | | | 2510 | 2040 | 1640 | 1300 | 1000 | 755 | | | | 928 € | - |
| | | 45 | P | | | 1,01 | 0,94 | | 1320 | 1040 | | | | | | |
| | H80CC | 35 | Q | 4330 | 3650 | 3040 | 2510 | 2050 | 1650 | 1300 | 1010 | 760 | 550 | | 937 € | - |
| | | 45 | P | 1,12 | 1,10 | 1,06 | 1,00 | 0,93 | 0,85 | 0,77 | 0,68 | 0,60 | 0,52 | | | |
| | H80CS | 35 | Q | | | | 3230 | 2640 | 2120 | 1680 | 1300 | 980 | 720 | | 937 € | - |
| | | 45 | P | | | | 1,30 | 1,20 | 1,09 | 0,98 | 0,87 | 0,76 | 0,66 | | | |
| | H101CC | 35 | Q | 5640 | 4730 | 3940 | 3230 | 2620 | 2090 | 1640 | 1260 | 935 | 665 | | 943 € | - |
| | | 45 | P | 1,45 | 1,41 | 1,35 | 1,27 | 1,18 | 1,07 | 0,96 | 0,85 | 0,74 | 0,63 | | | |
| | H101CS | 35 | Q | | | 4700 | 3880 | 3160 | 2540 | 2010 | 1550 | 1170 | 855 | | 943 € | - |
| | | 45 | P | | | 1,61 | 1,52 | 1,41 | 1,28 | 1,15 | 1,02 | 0,89 | 0,76 | | | |
| | H151CC | 35 | Q | 6760 | 5680 | 4740 | 3900 | 3180 | 2550 | 2010 | 1550 | 1160 | 835 | | 953 € | - |
| | | 45 | P | 1,68 | 1,65 | 1,58 | 1,50 | 1,40 | 1,29 | 1,17 | 1,04 | 0,92 | 0,80 | | | |
| | H151CS | 35 | Q | | | 5200 | 4310 | 3520 | 2840 | 2250 | 1750 | 1330 | 965 | | 953 € | - |
| | | 45 | P | | | 1,77 | 1,69 | 1,58 | 1,46 | 1,32 | 1,17 | 1,01 | 0,84 | | | |
| | H181CC | 35 | Q | 7540 | 6340 | 5270 | 4340 | 3530 | 2840 | 2240 | 1730 | 1310 | 960 | | 966 € | - |
| | | 45 | P | 1,94 | 1,87 | 1,78 | 1,68 | 1,57 | 1,45 | 1,32 | 1,19 | 1,05 | 0,92 | | | |
| | H181CS | 35 | Q | | | 6530 | 5390 | 4400 | 3530 | 2790 | 2160 | 1630 | 1190 | | 966 € | - |
| | | 45 | P | | | 2,19 | 2,07 | 1,92 | 1,76 | 1,57 | 1,39 | 1,21 | 1,04 | | | |
| | H201CC | 35 | Q | 9300 | 7800 | 6490 | 5350 | 4380 | 3540 | 2820 | 2190 | 1640 | 1150 | | 1.014 € | - |
| | | 45 | P | 2,28 | 2,24 | 2,16 | 2,05 | 1,92 | 1,77 | 1,60 | 1,44 | 1,27 | 1,12 | | | |
| | H201CS | 35 | Q | | | 7030 | 5810 | 4740 | 3820 | 3020 | 2340 | 1760 | 1280 | | 1.014 € | - |
| | | 45 | P | | | 2,33 | 2,22 | 2,08 | 1,91 | 1,72 | 1,52 | 1,32 | 1,14 | | | |
| | H221CC | 35 | Q | 10070 | 8470 | 7050 | 5810 | 4720 | 3780 | 2980 | 2290 | 1710 | 1230 | | 1.046 € | - |
| | | 45 | P | 2,47 | 2,41 | 2,32 | 2,20 | 2,05 | 1,89 | 1,71 | 1,53 | 1,35 | 1,17 | | | |
| | H221CS | 35 | Q | | | 7640 | 6300 | 5140 | 4130 | 3260 | 2520 | 1900 | 1390 | | 1.046 € | - |
| | | 45 | P | | | 2,56 | 2,42 | 2,25 | 2,05 | 1,85 | 1,64 | 1,44 | 1,25 | | | |
| | H251CC | 35 | Q | 10850 | 9120 | 7590 | 6250 | 5080 | 4070 | 3210 | 2480 | 1870 | 1360 | | 1.046 € | - |
| | | 45 | P | 2,95 | 2,83 | 2,67 | 2,49 | 2,28 | 2,07 | 1,84 | 1,61 | 1,39 | 1,18 | | | |
| | H251CS | 35 | Q | | | 8460 | 6990 | 5700 | 4580 | 3610 | 2790 | 2100 | 1510 | | 1.092 € | - |
| | | 45 | P | | | 2,85 | 2,72 | 2,55 | 2,34 | 2,11 | 1,87 | 1,63 | 1,40 | | | |
| H281CC | 35 | Q | 11950 | 10040 | 8360 | 6880 | 5590 | 4480 | 3520 | 2700 | 2010 | 1430 | | 1.092 € | - | |
| | 45 | P | 3,12 | 3,08 | 2,98 | 2,82 | 2,61 | 2,37 | 2,12 | 1,85 | 1,59 | 1,35 | | | | |
| H281SB | 35 | Q | | | 9360 | 7710 | 6270 | 5010 | 3940 | 3020 | 2250 | 1610 | | 1.127 € | - | |
| | 45 | P | | | 3,18 | 3,00 | 2,78 | 2,53 | 2,26 | 1,98 | 1,71 | 1,46 | | | | |
| H281CS | 35 | Q | | | 9350 | 7700 | 6260 | 5010 | 3940 | 3020 | 2260 | 1620 | | 1.134 € | - | |
| | 45 | P | | | 3,17 | 3,00 | 2,78 | 2,53 | 2,26 | 1,98 | 1,70 | 1,45 | | | | |
| H290CS | 35 | Q | | | 10500 | 8680 | 7080 | 5700 | 4510 | 3500 | 2650 | 1940 | | 1.230 € | - | |
| | 45 | P | | | 3,41 | 3,18 | 2,92 | 2,65 | 2,37 | 2,09 | 1,81 | 1,56 | | | | |
| H300CC | 35 | Q | 15110 | 12680 | 10540 | 8670 | 7040 | 5630 | 4430 | 3420 | 2560 | 1860 | | 1.262 € | - | |
| | 45 | P | 3,57 | 3,50 | 3,36 | 3,17 | 2,94 | 2,67 | 2,39 | 2,10 | 1,81 | 1,53 | | | | |

Bajo pedido, se puede solicitar precio para unidades con voltajes especiales.